



The Mugie Conservancy is a 200 km² Conservation Area located in the North-Western part of Laikipia. The Conservancy is home to several endangered species and plays a key role in connecting Laikipia with the Rift Valley and the Northern Frontier.

Mugie is driven by its mission "To maintain connectivity between the Rift Valley and the Laikipia Plateau; protect and enhance the distinct heritage, history and ecosystem services of the ecological and cultural landscape; conserve and reintroduce endangered species, habitats and natural processes; utilise the sustainable potential of the landscape for measured economic development; whilst safeguarding and promoting the knowledge and skills required for successful conservation and sustainable rangeland management." The Conservancy engages in several conservation activities explored through this monthly report.

The General Manager's message

We have initiated an ultra-high-density grazing system to enhance regenerative practices through controlled mob grazing. This approach aims to significantly boost the property's ecological integrity. Baseline surveys have been conducted to establish documented evidence for tracking and assessing the system's progress over time.

The following table indicates the major achievements and challenges that occurred in the month and the rare wildlife sighting of the month.

Achievement	 Raptors Training with the Peregrine Fund Earth Ranger training with the Smithsonian Institute
Challenges	- Insecurities have affected the data collection on patrols
Sighting of the month	- 2 leopards seen mating






The Mugie Conservancy monitors and records the weather conditions daily to influence the decision-making process based on weather cycles and to have reliable forecasts. The data collected is also shared with the Kenya Meteorological Department for their records. So far, the data collected has significantly supported Mugie.

Rainfall data is collected through 12 manual rain gauges spread across the conservancy. Temperature, wind, pressure, and solar radiation are collected via a weather station installed at the Mugie headquarters


The below table shows the data collected for the various meteorological metrics during the reporting period.

Metric	Max	Min
Temperature	29.7 °C	7.5°C
Dew Point	16.7°C	7.3 °C
Humidity	96%	36 %
Wind Speed	40.7km/h	9.2km/h
Pressure	77.71hPa	-hPa

Temperature and wind during October 2024








Rainfall Data in mm

Station	Jan	Feb	Mar	April	May	June	July	Aug	Sep	Oct	Nov	Dec	Total
HQ	13.6	31.4	0	275.3	264	55.7	113	113.3	29.2	4.4			899.9
Lima 6	45.5	57	0	208	256.5	35	177.5	92.5	48.8	17.5			938.3
Mutamaiyu	25.5	19	0	143	182.5	39.5	161.5	86	44	17			718
Golf	9.5	37.5	0	180	231	35	124.5	93	16	18			744.5
Lima 9	26	18	4.5	202	84.5	4	89.5	160	10	8			606.5
Lima 8	40.5	32	0	213.5	181	13	92.5	99	30	9			710.5
Nomotio	62.5	57	0	128.5	186	22	167	73.5	20	0			716.5
Lima 4	15	35	0	127	190	19	157	113.5	42.5	14.5			713.5
Lima 2	20.5	36	0	195.5	169	24	75	158	16	8.5			702.5
Lima 10	4	11	0	123	126	16.5	127.4	183.5	75	5			671.4
Bravo 6	13	34	0	244	252	59	112.5	95	49	0			858.5
Ekorian	36	11	0	192	220	17	42	93	24	7.1			642.1
AVERAGE	25.97	29.12	0.37	193.9	195.2	28.31	119.95	113.4	33.7	9.0			685.1

The below chart shows the rainfall received in the month compared to the 2010-2023 rainfall average.



October's rainfall was significantly below the average recorded over the past 13 years.






The Mugie Conservancy's rangers patrol the conservancy day in and day out to ensure the safety of all wildlife, livestock, and people living inside the Conservancy. The 50 rangers and 34 NPRs are based on 11 perimeter stations and 7 internal ones, allowing for a comprehensive conservancy coverage. During the month in review, the ranger team covered 12928 kilometres on foot. This marks the highest record since the start of the year. The below table shows the kilometres covered on foot by the rangers on EarthRanger in September 2024

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total	Average
6,685	3,414	8,403	7,815	6,373	6,291	9,403	8,669	9,735	12,928				7,972

To support the rangers on the ground in their operations, Mugie also has a K9 team composed of 3 dogs and 3 handlers. The unit plays a key role in tracking down suspects and over the years it has helped Mugie solve several wildlife crime incidents and petty crimes in the nearby villages.

Mugie's rangers utilise Earthranger to collect real-time data regarding wildlife sightings and any possible incident to allow for quicker responses and informed decision-making.

The map on the right, generated through EarthRanger, shows the area covered by the ranger teams in October 2024. The map allows the conservancy to identify gaps in the patrols and make necessary adjustments in the following months to ensure gapless Conservancy coverage over the long term.



Pa

INCIDENTS

Data collection regarding wildlife incidents allows Mugie to understand trends and correlations that inform decision-making. Several incidents involving wildlife were recorded during the month in review, said incidents are recorded in the below table.

Incidents		Occurrence	Details
Human-Wildlife	Predation	2	2 cows killed and 1 calf injured by lion
Conflict	Crop raiding	0	Nil
	Property damage	0	Nil
	Retaliation	0	Nil
	Fence	17	By Elephants
	Other	0	Nil
Vehicle-Wildlife Co	Vehicle-Wildlife Collision		4 birds, 3 hares, 1 chameleon, 2 rats, 1 guinea fowl, 1 steinbuck, 1 jackal, 3 snakes, 2 puff adders
Poaching		0	Nil
Disease		0	Nil
Electrocution		0	Nil
Other illegal activ	ities	0	Nil

Mugie also supports its neighbouring communities in matters of HWC, the table below summarises the reports received.

Incidents		Occurrence	Details
Human-Wildlife	Predation	2	1 cow killed by lion and 1 goat killed by hyena
Conflict	Crop raiding	0	Nil
	Property damage	1	1 post uprooted by elephant in the Louniek Corridor
	Retaliation	0	Nil
	Poaching	0	Nil
	Other	0	Nil
Illegal Logging	Charcoal/Sandal wood	Daily	Significant charcoal burning on Western and Southern boundaries. Operations are put in place to reduce the same, but require multi-sector interventions. The Louniek corridor will support in limiting the charcoal burning in the area once the construction is finished. KWS has been active in destroying kilns in the area. Some threats on sandalwood harvesting.






The integrity and functionality of any given ecosystem, and therefore the maintenance of biodiversity and ecosystem services, are made possible by the flow of energy, nutrients, organisms, genes, and information across landscapes. Because of the importance of these flows in the maintenance of landscapes and biodiversity conservation, habitat connectivity is a key conservation element. Mugie is bisected by the National A4 Highway and is mostly fenced in its boundaries, however the conservancy plays a key role in connecting the Rift Valley to the Laikipia Plateau and the Northern Frontier by maintaining corridors that allow for the free flow of wildlife.

A4 CORRIDORS

The A4 bisecting Mugie is a major conservation challenge as it splits the conservancy in two, threatening the wider landscape connectivity. In order to mitigate the negative externalities of the linear infrastructure, thanks to GPS data collected over the years, Mugie identified 6 major wildlife corridors along the road and placed gaps in the fenceline in the identified locations. In order to reduce the risk of collisions with vehicles, Mugie worked in collaboration with KeNHA to place speed bumps in the proximity of the identified corridors. It is Mugie's hope to raise funds in order to place more advanced and efficient forms of crossings in each corridor and fence the other side of the road in order to safely funnel wildlife from one side to the other and reduce consequential damages and loss of life due to collisions.

Recorded species


The below graph indicates the number of selected species encounter rates per corridor.






October 2024 Conservation Monthly Report

Closer observation and analysis of the data has shown that different species use some corridors more than others. The below chart shows the correlation between major species and individual corridors.






Corridor encounter rates for main species can be seen in the below table

Species	Litikon	Emuria	Lokitoe	Kivuruti	Naibor	Junction
Lion	0	1	6	1	10	7
Leopard	1	1	2	2	2	0
Cheetah	0	0	0	1	4	1
Elephant	15	12	97	34	61	24
Нірро	0	0	1	2	1	0
Giraffe	1	1	0	5	6	3
Buffalo	3	1	15	1	2	0
Zebra	16	0	2	20	15	13
Нуепа	6	23	39	12	45	20
Warthog	1	0	1	4	2	0
Antelopes	20	14	14	13	199	53
Birds	21	6	3	0	16	4

The below table indicates the percentages of Vehicle-Wildlife Collisions per section of the A4







WIDER LANDSCAPE CORRIDORS

To keep connectivity across the wider landscape, Mugie has various corridors along its boundary. A major corridor is Kitenye, an area that connects Mugie to Loisaba Conservancy. At the moment, Mugie is in the process of opening another major corridor with Mukutan Conservancy, strengthening the habitat connectivity to Baringo and the Rift Valley. Other corridors include Loitikon and Kilo 1 towards Samburu and therefore the Northern Frontier.

The chart below shows the species using the Kilo 1 and Loitikon corridors during the month under review.



The below map shows Mugie in the landscape and the various corridors. From the map it is possible to understand the importance of the Conservancy in connecting the Laikipia Plateau with the Rift Valley and the Northern Frontier.








Lions pose a major conservation challenge due the conflicts that arise from the killing of livestock. Mugie currently has approximately 60 lions with 4 major prides and several smaller groups across the Conservancy. In order to reduce and prevent the predation of livestock, seven females in three different prides and one male were fitted with a collar in partnership with Lion Landscapes, KWS and WRTI. The collars allow the Conservation Team to follow the pride movements and prevent incidents from happening by making the herders/community aware of the presence of lions in their specific areas.

The collars also allow the Conservation Team to better understand the movements of the prides within the Conservancy and the overlapping of their territories. All monitoring, tracking, and analysis are conducted through EarthRanger.

The map on the right, extracted from EarthRanger, illustrates the movements of Dada, Vida and Bast over the month under review.

There were no abnormal movements from the collared lions during the month under review. Dada was noted for spending some time outside the Southern boundary.







Vultures are often widely loathed, however, they play a key role in every ecosystem by keeping it healthy and disease-free as they consume carrion. Unfortunately, the ecosystem services provided by vulture populations are significantly decreasing in Kenya and throughout Africa as the populations are seeing drastic downfalls.

To address the issue, Mugie in collaboration with KWS, WRTI, The Peregrine Fund, Kenya Birds of Prey Trust, and National Geographic opened a vulture-safe feeding site, where poison-free carrion is fed to the birds.

This project aims to pilot a sustainable and safe Vulture Feeding Site and measure its short-term effects on scavenger and predator populations, local communities as financial beneficiaries, and the tourism experience as a gauge of its long-term sustainability. Ultimately, the project aims at creating a series of coordinated vulture restaurants across the northern Laikipia landscape that benefit vultures, and local communities, and that provide a unique tourist attraction, not found elsewhere in Kenya, which will provide sustained income to maintain this project over the long-term.



Invasive species are a major conservation challenge across the world, and Mugie is not exempt. The identified invasive species in Mugie are *Schkuhria spp*, *Bidens pilosa*, *Parthenium spp*, *Opuntia stricta*, *Cirsium vulgae*, *Dodonaea viscosa*, *Xanthium strumarium*, *Eichhornia crassipes*, *Datura stramonium*, *Hyacinthus* and *Kalanchoe delagoensis*. To prevent the complete spreading of invasive plants, especially Opuntia, Mugie has trained its rangers to identify the plant and report it through EarthRanger so that a team can be sent to remove and rid the plant without the risk of its spreading. Opuntia is a major issue in the wider landscape with areas where the plant has up to 80% coverage, drastically reducing pasture availability. Opuntia is easily spread by wildlife that eats it; such as elephants, baboons, and other antelopes.





Carnivore Conservation

Lion

- Lion identification through LINC continued to establish their population within Mugie.
- All the various prides were confirmed to be doing well in the month under review.
- A request was sent to KWS to recollar Walimu, Sarabi and Mfalme

Leopard

- Ongoing camera trap data collection with Uhifadhi wa Chui (San Diego Zoo's Leopard program in Kenya)

Cheetah

- During the month under review, Mugie has been collecting and sharing cheetah images with the Serendipity Wildlife Foundation's Cheetah Project. The data will contribute towards the creation of a detailed database of Mugie's cheetahs.

Louniek Corridor

The Louniek corridor connects Mugie and Mukutan Conservancies, this is a critical corridor that connects the Rift Valley with the Laikipia plateau and further afar. During the month under review, the fencing works carried on with minimal interruptions. A team of 6 corridor scouts played a key role in community sensitization, information sharing, and data collection through EarthRanger. There were several incidents related to malicious damage of the corridor fence lines.

Coexistence Training

Thanks to a long-standing partnership between Mugie Conservancy and The Peregrine Fund (TPF), several training sessions are conducted by the TPF team in Mugie. The various trainings aim at promoting a peaceful coexistence between pastoralists and predators, covering topics such as predator-proof boma construction, effects of poisoning, and incident management.

Climate Change

Climate change significantly impacts rangelands in Mugie Conservancy, affecting vegetation, water resources, and ecosystem health. Changes in temperature, rainfall, and extreme weather degrade grazing areas, limiting forage for livestock and wildlife. This scarcity pushes wildlife toward human settlements, increasing conflicts such as crop raids and livestock attacks. Effective rangeland management ensures adequate grazing and water, keeping wildlife within natural habitats. Mugie's commitment to sustainable practices enhances forage and water availability while developing carbon projects to generate revenue through carbon credits, promoting soil health and carbon storage. This balanced approach supports ecosystem restoration, conservation and community wellbeing





Growing human development means an increased pressure on nature. Waste is a major problem across the world, especially plastic. To mitigate the impact of waste on the local ecosystem, Mugie has constructed a waste management centre where all the waste collected along the A4 highway and waste generated inside the Conservancy is collected and sorted. The sorted waste is then collected by certified recycling companies.

The table below shows the amount of waste in kg collected along the A4 highway during the month.

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total	Average
95.5	80	37.5	127.3	74.5	160	86.5	94.5	136.5	55.7			948	94.8



Kids are the future and education plays a key role in supporting them to shape the same. Once a week, the Mugie's team in collaboration with its tourism partners; holds a Healthy Kids Class in which conservation, sustainability, and healthcare topics are discussed with Mugie's school kids engagingly. The program has been so far proven incredibly successful, with significant interest from all the kids.




CAMERA TRAPS

Camera traps play a key role in monitoring wildlife movements across corridors and the conservancy as a whole. Mugie has also partnered with Wildlife Protection Solutions to have data-enabled cameras across the conservancy sharing live data with the Conservation and Security Teams in order to improve response speed to any incident.


All the images collected are then sorted with the support of Trap Tagger and then uploaded into different wild books to identify individual animals. The identification of individual animals allows the Conservation Team to better understand the spatial ecology and interactions of identified animals.

A total of 4,548 images were analysed with the help of TrapTagger. During the analysis several images with crossing wildlife and vehicle lights in the background were noted. This highlights the importance of proper wildlife corridors along highways.









October 2024 Conservation Monthly Report



CONSERVATION PARTNERS

Mugie would like to acknowledge and thank the below partners for their continued support in the various aspects of conservation both inside Mugie and in its neighbouring communities.

























